

The Commonwealth of Massachusetts
Executive Office of Health and Human Services
Department of Public Health
Bureau of Environmental Health
Community Sanitation Program
23 Service Center Road, Northampton, MA 01060
Phone: 413-586-7525 Fax: 413 784-1037
TTY 800 769-9991

CHARLES D. BAKER Governor

KARYN E. POLITO Lieutenant Governor MARYLOU SUDDERS Secretary

MONICA BHAREL, MD, MPH Commissioner

> Tel: 617-624-6000 www.mass.gov/dph

June 29, 2018

Nicholas Cocchi, Sheriff Western Massachusetts Recovery and Wellness Center 155 Mill Street Springfield, MA 01108

Re: Plan of Correction - Western Massachusetts Recovery and Wellness Center, Springfield

Dear Sheriff Cocchi:

The Massachusetts Department of Public Health (Department) has received your Plan of Correction in response to my inspection on June 8, 2018. After review, the Department finds the plan appropriately addresses all of the violations noted in the report with the following exceptions:

Please provide an estimated date of repair for:

- 1. Mold growth observed on the interior of ice machine in the Main Kitchen; and
- 2. The shower curtain damaged in shower # 1 and 5 in Resident's Bathroom # 321.



KARYN E. POLITO Lieutenant Governor The Commonwealth of Massachusetts
Executive Office of Health and Human Services
Department of Public Health
Bureau of Environmental Health
Community Sanitation Program
5 Randolph Street, Canton, MA 02021
Phone: 781-828-7700 Fax: 781-828-7703

MARYLOU SUDDERS Secretary

MONICA BHAREL, MD, MPH Commissioner

> Tel: 617-624-6000 www.mass.gov/dph

July 10, 2018

James M. Cummings, Sheriff Barnstable County Correctional Facility 6000 Sheriff's Place Bourne, MA 02532

Re: Plan of Correction - Barnstable County Correctional Facility, Bourne

Dear Sheriff Cummings:

The Massachusetts Department of Public Health (Department) has received your Plan of Correction in response to my inspection on April 20, 2018. After review, the Department finds the plan appropriately addresses all of the violations noted with the following exceptions:

- 1. Please provide an estimated date of completion of the shower leak noted in the Day Room shower in Pod E and in the first floor shower in Pod H.
- 2. In regards to the issue of overcrowding, the Department appreciates the limitations of correctional facilities and the need to accommodate the ever-increasing population; however we remain concerned with the overcrowded conditions.



KARYN E. POLITO Lieutenant Governor

The Commonwealth of Massachusetts Executive Office of Health and Human Services Department of Public Health Bureau of Environmental Health Community Sanitation Program 5 Randolph Street, Canton, MA 02021 Phone: 781-828-7700 Fax: 781-828-7703

MARYLOU SUDDERS Secretary

MONICA BHAREL, MD, MPH Commissioner

> Tel: 617-624-6000 www.mass.gov/dph

July 10, 2018

Thomas M. Hodgson, Sheriff Bristol County Sheriff's Office Bristol County Jail and House of Correction 400 Faunce Corner Road North Dartmouth, MA 02747

Re: Plan of Correction - Bristol County Jail and House of Correction, North Dartmouth

Dear Sheriff Hodgson:

The Massachusetts Department of Public Health (Department) has received your Plan of Correction in response to my inspection on March 26 and 27, 2018. After review, the Department finds the plan appropriately addresses all of the violations noted in the report with the following exceptions:

1. In regards to the issue of overcrowding, the Department appreciates the limitations of correctional facilities and the need to accommodate the ever-increasing population; however we remain concerned with the overcrowded conditions.

Thank you for your prompt attention to this matter, should you have any questions please contact me at the address listed above.

Sincerely,

Nicholas Gale

Environmental Health Inspector, CSP, BEH

cc: Jana Ferguson, Director, BEH

Steven Hughes, Director, CSP, BEH

Marylou Sudders, Secretary, Executive Office of Health and Human Services

Thomas Turco, Commissioner, DOC

Steven Sousa, Superintendent

Andrew Mitzan, Lieutenant, EHSO

Christopher Michaud, RS, Health Director, Dartmouth Board of Health

Clerk, Massachusetts House of Representatives

Clerk, Massachusetts Senate

Daniel Bennett, Secretary, EOPSS



KARYN E. POLITO Lieutenant Governor

The Commonwealth of Massachusetts Executive Office of Health and Human Services Department of Public Health Bureau of Environmental Health Community Sanitation Program 5 Randolph Street, Canton, MA 02021 Phone: 781-828-7700 Fax: 781-828-7703

MARYLOU SUDDERS Secretary

MONICA BHAREL, MD, MPH Commissioner

> Tel: 617-624-6000 www.mass.gov/dph

July 10, 2018

Thomas M. Hodgson, Sheriff Bristol County Sheriff's Office Bristol County Jail and House of Correction 400 Faunce Corner Road North Dartmouth, MA 02747

Re: Plan of Correction - Bristol County Modular Building, North Dartmouth

Dear Sheriff Hodgson:

The Massachusetts Department of Public Health (Department) has received your Plan of Correction in response to my inspection on March 27, 2018. After review, the Department finds the plan appropriately addresses all of the violations noted in the report with the following exception:

1. In regards to the issue of overcrowding, the Department appreciates the limitations of correctional facilities and the need to accommodate the ever-increasing population; however we remain concerned with the overcrowded conditions.

Thank you for your prompt attention to this matter, should you have any questions please contact me at the address listed above.

Sincerely,

Nicholas Gale

Environmental Health Inspector, CSP, BEH

cc: Jana Ferguson, Director, BEH

Steven Hughes, Director, CSP, BEH

Marylou Sudders, Secretary, Executive Office of Health and Human Services

Thomas Turco, Commissioner, DOC

Steven Sousa, Superintendent

Andrew Mitzan, Lieutenant, EHSO

Christopher Michaud, RS, Health Director, Dartmouth Board of Health

Clerk, Massachusetts House of Representatives

Clerk, Massachusetts Senate /

Daniel Bennett, Secretary, EOPSS



KARYN E. POLITO Lieutenant Governor

The Commonwealth of Massachusetts Executive Office of Health and Human Services Department of Public Health Bureau of Environmental Health Community Sanitation Program 5 Randolph Street, Canton, MA 02021 Phone: 781-828-7700 Fax: 781-828-7703

MARYLOU SUDDERS Secretary

MONICA BHAREL, MD, MPH Commissioner

> Tel: 617-624-6000 www.mass.gov/dph

July 10, 2018

Thomas M. Hodgson, Sheriff
Bristol County Sheriff's Office
Dartmouth Women's Center
400 Faunce Corner Road
North Dartmouth, MA 02747

Re: Plan of Correction - Dartmouth Women's Center, North Dartmouth

Dear Sheriff Hodgson:

The Massachusetts Department of Public Health (Department) has received your Plan of Correction in response to my inspection on March 26, 2018. After review, the Department finds the plan appropriately addresses all of the violations noted in the report with the following exception:

1. In regards to the issue of overcrowding, the Department appreciates the limitations of correctional facilities and the need to accommodate the ever-increasing population; however we remain concerned with the overcrowded conditions.

Thank you for your prompt attention to this matter, should you have any questions please contact me at the address listed above.

Sincerely,

Nicholas Gale

Environmental Health Inspector, CSP, BEH

Mielley IL

cc: Jana Ferguson, Director, BEH

Steven Hughes, Director, CSP, BEH

Marylou Sudders, Secretary, Executive Office of Health and Human Services

Thomas Turco, Commissioner, DOC

Steven Sousa, Superintendent

Andrew Mitzan, Lieutenant, EHSO

Christopher Michaud, RS, Health Director, Dartmouth Board of Health

Clerk, Massachusetts House of Representatives

Clerk, Massachusetts Senate

Daniel Bennett, Secretary, EOPSS



KARYN E. POLITO Lieutenant Governor

The Commonwealth of Massachusetts Executive Office of Health and Human Services Department of Public Health Bureau of Environmental Health Community Sanitation Program 5 Randolph Street, Canton, MA 02021 Phone: 781-828-7700 Fax: 781-828-7703

MARYLOU SUDDERS Secretary

MONICA BHAREL, MD, MPH Commissioner

> Tel: 617-624-6000 www.mass.gov/dph

July 10, 2018

Thomas M. Hodgson, Sheriff Bristol County Sheriff's Office Dartmouth I.C.E. Facility

400 Faunce Corner Road
North Dartmouth, MA 02747

Re: Plan of Correction - Dartmouth I.C.E. Facility, North Dartmouth

Dear Sheriff Hodgson:

The Massachusetts Department of Public Health (Department) has received your Plan of Correction in response to my inspection on March 26, 2018. After review, the Department finds the plan appropriately addresses all of the violations noted in the report with the following exception:

1. In regards to the issue of overcrowding, the Department appreciates the limitations of correctional facilities and the need to accommodate the ever-increasing population; however we remain concerned with the overcrowded conditions.

Thank you for your prompt attention to this matter, should you have any questions please contact me at the address listed above.

Sincerely,

Nicholas Gale

Environmental Health Inspector, CSP, BEH

cc: Jana Ferguson, Director, BEH

Steven Hughes, Director, CSP, BEH

Marylou Sudders, Secretary, Executive Office of Health and Human Services

Thomas Turco, Commissioner, DOC

Steven Sousa, Superintendent

Andrew Mitzan, Lieutenant, EHSO

Christopher Michaud, RS, Health Director, Dartmouth Board of Health

Clerk, Massachusetts House of Representatives

Clerk, Massachusetts Senate

Daniel Bennett, Secretary, EOPSS



KARYN E. POLITO Lieutenant Governor

The Commonwealth of Massachusetts Executive Office of Health and Human Services Department of Public Health Bureau of Environmental Health Community Sanitation Program 180 Beaman Street, West Boylston, MA 01583 Phone: 508-792-7880 Fax: 508-792-7706

TTY: 508-835-9796

MARYLOU SUDDERS Secretary

MONICA BHAREL, MD, MPF Commissioner

> Tel: 617-624-6000 www.mass.gov/dph

July 10, 2018

Kevin F. Coppinger, Sheriff Essex County Sheriff's Department Headquarters 20 Manning Avenue Middleton, MA 01949

Re: Plan of Correction - Essex County Correctional Facility, Middleton

Dear Sheriff Coppinger:

The Massachusetts Department of Public Health (Department) has received your Plan of Correction dated June 15, 2018. After review, the Department finds the plan appropriately addresses all of the violations noted in the report with the following exception:

While the Department recognizes the complexities of managerial and budgetary constraints, we cannot approve any items that do not identify a reasonable time frame for repair. The Department remains concerned with the insufficient handwash sink to inmate ratio within Voke 1 and asks you to provide a plan describing the interim measures you have implemented to ensure the health and safety of inmates and staff. In addition we ask to be kept apprised of the funding progress or reduction of the inmate population within Voke 1.

Thank you for your prompt attention to this matter, should you have any questions please contact me at the address listed above.

Sincerely.

Kerry Wagner, MPH

Perus Wagn

Environmental Health Inspector, CSP, BEH

cc: Jana Ferguson, Director, BEH

Steven Hughes, Director, CSP, BEH

Marylou Sudders, Secretary, Executive Office of Health and Human Services

Thomas Turco, Commissioner, DOC

Aaron Eastman, Superintendent

Lieutenant Peter Lundy, EHSO

Derek Fullerton, RS, CHO, REHS, Health Director, Middleton Health Department

Clerk, Massachusetts House of Representatives

Clerk, Massachusetts Senate /

Daniel Bennett, Secretary, EOPSS



KARYN E. POLITO Lieutenant Governor

The Commonwealth of Massachusetts Executive Office of Health and Human Services Department of Public Health Bureau of Environmental Health Community Sanitation Program 5 Randolph Street, Canton, MA 02021 Phone: 781-828-7700 Fax: 781-774-6700

MARYLOU SUDDERS Secretary

MONICA BHAREL, MD, MPH Commissioner

> Tel: 617-624-6000 www.mass.gov/dph

July 12, 2018

Suzanne Thibault, Acting Superintendent Old Colony Correctional Center 1 Administration Road Bridgewater, MA 02324

Re: Plan of Correction - Old Colony Correctional Center, Bridgewater

Dear Superintendent Thibault:

The Massachusetts Department of Public Health (Department) has received your Plan of Correction in response to my inspection on May 21 and 24, 2018. After review, the Department finds the plan appropriately addresses all of the violations noted with the following exception:

In regards to the issue of overcrowding, the Department appreciates the limitations of correctional facilities and the need to accommodate the ever-increasing population; however we remain concerned with the overcrowded conditions.

Thank you for your prompt attention to this matter, should you have any questions please contact me at the address listed above.

Sincerely

Patrick Wallace

Environmental Health Inspector, CSP, BEH

Wallace

cc: Jana Ferguson, Director, BEH

Steven Hughes, Director, CSP, BEH

Marylou Sudders, Secretary, Executive Office of Health and Human Services

Thomas Turco, Commissioner, DOC

Thomas Selfridge, EHSO/FSO

Eric Badger, CHO, Health Agent, Bridgewater Board of Health

Clerk, Massachusetts House of Representatives

Clerk, Massachusetts Senate ~

Daniel Bennett, Secretary, EOPSS



KARYN E. POLITO Lieutenant Governor

The Commonwealth of Massachusetts Executive Office of Health and Human Services Department of Public Health Bureau of Environmental Health Community Sanitation Program 5 Randolph Street, Canton, MA 02021 Phone: 781-828-7910 Fax: 781-774-6700

MARYLOU SUDDERS Secretary

MONICA BHAREL, MD, MPH Commissioner

> Tel: 617-624-6000 www.mass.gov/dph

July 16, 2018

Brad Cowen, Superintendent MCI Norfolk

2 Clark Street Norfolk, MA 02056

Re: Plan of Correction - MCI Norfolk

Dear Superintendent Cowen:

The Massachusetts Department of Public Health (Department) has received your Plan of Correction dated June 7, 2018. After review, the Department finds the plan appropriately addresses all of the violations noted in the report with the following exceptions:

In regards to the issue of overcrowding, the Department appreciates the limitations of correctional facilities and the need to accommodate the ever-increasing population; however we remain concerned with the overcrowded conditions.

Thank you for your prompt attention to this matter, should you have any questions please contact me at the address listed above.

Sincerely.

Patrick Wallace

Environmental Health Inspector, CSP, BEH

cc: Jana Ferguson, Director, BEH

Steven Hughes, Director, CSP, BEH

Marylou Sudders, Secretary, Executive Office of Health and Human Services

Thomas Turco, Commissioner, DOC

Sergeant Michael Berksza, EHSO

Betsy Fijol, Administrative Assistant, Norfolk Board of Health

Clerk, Massachusetts House of Representatives

Clerk, Massachusetts Senate

Daniel Bennett, Secretary, EOPSS